TRANSMISSION MEDIA

SUBJECT: DATA COMMUNICATION & OPTICAL FIBERS

SAVIYA VARGHESE Dept of COMPUTER APPLICATION 2020-21

TRANSMISSION MEDIA

- A transmission medium can be broadly defined as anything that can carry information from a source to a destination.
- The transmission medium is usually free space, metallic cable, or fiber-optic cable.



- In telecommunications, transmission media can be divided into two broad categories: guided and unguided.
- Guided media include twisted-pair cable, coaxial cable, and fiber-optic cable. Unguided medium is free space.

Figure 7.2 Classes of transmission media



7-1 GUIDED MEDIA

Guided media, which are those that provide a conduit from one device to another, include twisted-pair cable, coaxial cable, and fiber-optic cable.

Twisted-Pair Cable Coaxial Cable Fiber-Optic Cable

TWISTED PAIR CABLE

- A twisted pair consists of two conductors (normally copper), each with its own plastic insulation, twisted together.
- One of the wires is used to carry signals to the receiver, and the other is used only as a ground reference. The receiver uses the difference between the two.
- In addition to the signal sent by the sender on one of the wires, interference (noise) and crosstalk may affect both wires and create unwanted signals.
- The twisting of the individual pairs minimizes electromagnetic interference between the pairs.



UNSHIELDED & SHIELDED TWISTED PAIR

- The most common twisted-pair cable used in communications is referred to as unshielded twisted-pair (UTP).
- IBM has also produced a version of twistedpair cable for its use called shielded twistedpair (STP).
- STP cable has a metal foil or braided mesh covering that encases each pair of insulated conductors. Although metal casing improves the quality of cable by preventing the penetration of noise or crosstalk, it is bulkier and more expensive.

Figure 7.4 UTP and STP cables



• Categories

The Electronic Industries Association (EIA) has developed standards to classify unshielded twistedpair cable into seven categories. Categories are determined by cable quality, with 1 as the lowest and 7 as the highest. Each EIA category is suitable for specific uses.

• Connectors

The most common UTP connector is RJ45 (RJ stands for registered jack), as shown in Figure 7.5. The RJ45 is a keyed connector, meaning the connector can be inserted in only one way.

• Performance

One way to measure the performance of twistedpair cable is to compare attenuation versus frequency and distance. A twisted-pair cable can pass a wide range of frequencies. Figure 7.5 UTP connector



APPLICATIONS

- Twisted-pair cables are used in telephone lines to provide voice and data channels.
- The local loop-the line that connects subscribers to the central telephone office--commonly consists of unshielded twisted-pair cables.
- The DSL lines that are used by the telephone companies to provide high-data-rate connections also use the high-bandwidth capability of unshielded twisted-pair cables.
- Local-area networks, such as IO Base-T and IOO Base-T, also use twisted-pair cables.