

Web Programming using PHP

RESMI P D

BCA



Object-Oriented PHP



Developing Object-Oriented PHP

- Topics:
 - OOP concepts – overview, throughout the chapter
 - Defining and using objects
 - Defining and instantiating classes
 - Defining and using variables, constants, and operations
 - Getters and setters
 - Defining and using inheritance and polymorphism
 - Building subclasses and overriding operations
 - Using interfaces
 - Advanced object-oriented functionality in PHP
 - Comparing objects, Printing objects,
 - Type hinting, Cloning objects,
 - Overloading methods, (some sections WILL NOT BE COVERED!!!)



Object-Oriented Programming

- **Object-oriented programming** (OOP) refers to the creation of reusable software object-types / classes that can be efficiently developed and easily incorporated into multiple programs.
- In OOP an **object** represents an entity in the real world (a student, a desk, a button, a file, a text input area, a loan, a web page, a shopping cart).
- An OOP **program** = a collection of objects that interact to solve a task / problem.

Object-Oriented Programming

- Objects are **self-contained**, with data and operations that pertain to them assembled into a single entity.
 - In *procedural programming* data and operations are separate → this methodology requires sending data to methods!
- Objects have:
 - **Identity**; ex: 2 “OK” buttons, same attributes → separate handle vars
 - **State** → a set of **attributes** (aka member variables, properties, data fields) = properties or variables that relate to / describe the object, with their current values.
 - **Behavior** → a set of operations (aka methods) = actions or functions that the object can perform to modify itself – its state, or perform for some external effect / result.



Object-Oriented Programming

- **Encapsulation** (aka data hiding) central in OOP
 - = access to data within an object is available only via the object's operations (= known as the **interface** of the object)
 - = internal aspects of objects are hidden, wrapped as a birthday present is wrapped by colorful paper 😊
- **Advantages:**
 - objects can be used as black-boxes, if their interface is known;
 - implementation of an interface can be changed without a cascading effect to other parts of the project → if the interface doesn't change



Object-Oriented Programming

- **Classes** are constructs that define objects of the same type.
A class is a template or blueprint that defines what an object's data and methods will be.
Objects of a class have:
 - Same operations, behaving the same way
 - Same attributes representing the same features, but values of those attributes (= state) can vary from object to object
- An **object** is an **instance** of a class.
(terms objects and instances are used interchangeably)
- Any number of instances of a class can be created.



OOP in Web Programming

- Small Web projects
 - Consist of web scripts designed and written using an *ad-hoc* approach; a function-oriented, procedural methodology
- Large Web software projects
 - Need a properly thought-out development methodology – OOP →
 - OO approach can help manage project complexity, increase code reusability, reduce costs.
 - OO analysis and design process = decide what object types, what hidden data/operations and wrapper operations for each object type
 - UML – as tool in OO design, to allow to describe classes and class relationships

Creating Classes in PHP

- A minimal class definition:

```
class classname { // classname is a PHP identifier!  
    // the class body = data & function member definitions  
}
```

- Attributes

- are declared as variables within the class definition using keywords that match their visibility: **public**, **private**, or **protected**.

(Recall that PHP doesn't otherwise have declarations of variables → data member declarations against the nature of PHP?)

- Operations

- are created by declaring functions within the class definition.

Creating Classes in PHP

- **Constructor** = function used to create an object of the class
 - Declared as a function with a special name:

```
function __construct (param_list) { ... }
```
 - Usually performs initialization tasks: e.g. sets attributes to appropriate starting values
 - Called automatically when an object is created
 - A default no-argument constructor is provided by the compiler only if a constructor function is not explicitly declared in the class
 - Cannot be overloaded (= 2+ constructors for a class); if you need a variable # of parameters, use flexible parameter lists...

Creating Classes in PHP

- **Destructor** = opposite of constructor
 - Declared as a function with a special name, cannot take parameters

```
function __destruct () { ... }
```
 - Allows some functionality that will be automatically executed just before an object is destroyed
 - An object is removed when there is no reference variable/handle left to it
 - Usually during the "script shutdown phase", which is typically right before the execution of the PHP script finishes
 - A default destructor provided by the compiler only if a destructor function is not explicitly declared in the class

Instantiating Classes

- Create an object of a class = a particular individual that is a member of the class by using the `new` keyword:

```
$newClassVariable = new ClassName(actual_param_list);
```

- Notes:
- Scope for PHP classes is global (program script level), as it is for functions
- Class names are case insensitive as are functions
- PHP 5 allows you to define multiple classes in a single program script
- The PHP parser reads classes into memory immediately after functions
⇒ class construction does not fail because a class is not previously defined in the program scope.

Using Data/Method Members

- From operations *within* the class, class's data / methods can be accessed / called by using:
 - `$this` = a variable that refers to the current instance of the class, and can be used only in the definition of the class, including the constructor & destructor
 - The pointer operator `->` (similar to Java's object member access operator `."`)
 - ```
class Test {
 public $attribute;
 function f ($val) {
 $this -> attribute = $val; // $this is mandatory!
 }
}
```

*No \$ sign here* (with arrow pointing to the missing '\$' before 'attribute')

// if omitted, \$attribute is treated  
// as a local var in the function

# Using Data/Method Members

- From *outside* the class, accessible (as determined by access modifiers) data and methods are accessed through a variable holding an instance of the class, by using the same pointer operator.

```
class Test {
 public $attribute;
}
$t = new Test();
$t->attribute = "value";
echo $t->attribute;
```

# Defining and Using Variables, Constants and Functions

- Three access / visibility modifiers introduced in PHP 5, which affect the scope of access to class variables and functions:
  - **public** : public class variables and functions can be accessed from inside and outside the class
  - **protected** : hides a variable or function from direct external class access + protected members are available in subclasses
  - **private** : hides a variable or function from direct external class access + protected members are hidden (NOT available) from all subclasses
- An access modifier has to be provided for **each class instance variable**
- Static class variables and functions can be declared without an access modifier → default is public

# Getters and Setters

- Encapsulation : hide attributes from direct access from outside a class and provide controlled access through **accessor** and **mutator** functions
  - You can write custom `getVariable()` / `setVariable($var)` functions *or*
  - Overload the functionality with the `__get()` and `__set()` functions in PHP
- `__get()` and `__set()`
  - Prototype:  
`mixed __get($var);`  
`// param represents the name of an attribute, __get returns the value of that attribute`  
`void __set($var, $value);`  
`// params are the name of an attribute and the value to set it to`



# Getters and Setters

- `__get()` and `__set()`
  - Can only be used for non-static attributes!
  - You do not directly call these functions;

For an instance `$acc` of the `BankAccount` class:

```
$acc->Balance = 1000;
```

implicitly calls the `__set()` function with the value of `$name` set to 'Balance', and the value of `$value` set to 1000.

(`__get()` works in a similar way)

# Getters and Setters

- `__get()` and `__set()` functions' value: a single access point to an attribute ensures complete control over:

- attribute's values

```
function __set($name, $value) {
 echo "<p>Setter for $name called!</p>";
 if (strcasecmp($name, "Balance")==0 && ($value>=0))
 $this->$name = $value;
 ...
}
```

- underlying implementation: as a variable, retrieved from a db when needed, a value inferred based on the values of other attributes  
→ transparent for clients as long as the accessor / mutator functions' contract doesn't change.



# Designing Classes

- Classes in Web development:
  - Pages
  - User-interface components
  - Shopping carts
  - Product categories
  - Customers
- TLA Consulting example revisited - a Page class, goals:
  - A consistent look and feel across the pages of the website
  - Limit the amount of HTML needed to create a new page: easily generate common parts, describe only uncommon parts
  - Easy maintainable when changes in the common parts
  - Flexible enough: ex. allow proper navigation elements in each page



# Class Page

- Attributes:
  - \$content → content of the page, a combination of HTML and text
  - \$title → page's title, with a default title to avoid blank titles
  - \$keywords → a list of keywords, to be used by search engines
  - \$navigation → an associative array with keys the text for the buttons and the value the URL of the target page
- Operations:
  - \_\_set()
  - Display() → to display a page of HTML, calls other functions to display parts of the page:
  - DisplayTitle(), DisplayKeywords(), DisplayStyles(), DisplayHeader(), DisplayMenu(), DisplayFooter() → can be overridden in a possible subclass

