#### GET and POST methods in PHP

Riya Jacob K Asst Professor on contract, Dept of BCA 2020-21

## GET method

- GET Method is less secure because information sent from a form with the GET method is visible to every one.
- The GET Method has limits on the amount of information to send because URL lengths are limited.
- The browser appends the data to the URL.
- The GET method can't be used to send binary data,like images or Word documents,to the server
- In the GET method page and encoded information are separated by the question mark (?) sign.

 First of all we create a PHP file which is called by the Html page later.

<html>

<body bgcolor="pink">

Welcome <?php echo <pre>\$\_GET["name"];?>.<br/>>

You are <?php echo <pre>\$\_GET["class"];?> Qualified !!!

# Example of GET method

 The above file is saved with the "get.php" name, which is called by the HTML page later.

<html>

```
<body bgcolor="pink">
```

```
<form action="get.php" method="get">
```

```
Name:<input type="text" name="name"/>
```

```
Class :<input type="text" name="class"/>
```


```
<input type="submit" value="Submit"/>
```

</form>

</body>

### **GET Method**

 You will put the URL in te web browser like as: http://localhost/FolderName/get.html.



 Now you will fill txt like as name and class.When you click on the submit button then you will see your browser URL.



## **GET & POST Method**

- Using the GET and POST methods , the browser client can send data to the web server.
- PHP the GET and POST methods are used to retrieve information from forms, such as user input.
- These methods are used data handling forms.

## POST Method

- POST Method is Secure because information sent from a form with the POST method is invisible to every one.
- The POST Method has no limits on the amount of information to send because URL lengths are unlimited.
- The browser doesn't append the data to the URL.
- The POST method can be used to send binary data,like images or Word documents,to the server

 First of all we create a PHP file which is called by the Html page later.

<html>

<body bgcolor="pink">

Welcome <?php echo <pre>\$\_POST["name"];?>.<br/>>

You are <?php echo <pre>\$\_POST["class"];?> Qualified !!!

</body>

 The above file is saved with the "post.php" name, which is called by the HTML page later.

<html>

```
<body bgcolor="pink">
```

```
<form action="post.php" method="post">
```

```
Name:<input type="text" name="name"/>
```

Class :<input type="text" name="class"/>

```
<input type="submit" value="Submit"/>
```

</form>

</body>

#### POST Method

 You will put the URL in te web browser like as: http://localhost/FolderName/get.html.

Discalhost/tuto/post.html ×	<b>-</b> ×
← → C n Docalhost/tuto/post.html	☆ =
Name: Sarbaz Ali	
Class MCA	
Submit	

 Now you will fill txt like as name and class.When you click on the submit button then you will see your browser URL.

